

SHE THE LIBRARIES TY A AVERY LIBRARY









North Brooklyn Iron Foundry

AND

RAILING WORKS.

ILLUSTRATED CATALOGUE

OF ALL THE LATEST DESIGNS OF

STOOP RAILS, BALLUSTERS, NEWELS, FIRE-ESCAPE CASTINGS, ROSETTES, BRACKETS, &c., &c.

DRILLS, SHEARS, FOOT AND POWER PRESSES, DIES, ETC.

ESTIMATES FURNISHED ON APPLICATION.

OFFICE AND WORKS:

26 to 36 Rodney Street, Brooklyn, E. D., N. Y.


Take Grand, Roosevelt or 23d Street Ferries from New York to Broadway, Brooklyn, E. D., and Greenpoint or Franklin Avenue Cars to Rodney Street.

1886.

AT 3608 JI

3 - 142


N





"PATENTED"

NEWEL POST.



No. 83.—20 and 21½ in. Base. No. 84 —18½ in. Base. Height, 4 feet, 7½ inches.



3 feet 1/2 inch.

Base, 21 incl es. Height, 5 feet.

F. SIMPSON.

NEWEL POSTS.



3 feet, 114 inches.

Base,

17 and 181/2 inches.

Height,

4 ft., 5 in. and 4 ft., 7 in. 4 feet, 41/2 inches.

14 and 16 inches.

NEWEL OR GATE POSTS.



Base,

12 inches.

Height,


4 feet, 1/2 inch.



10 inches.

3 feet, 10 inches.

NEWEL POSTS.



2 feet, 8 inches.

Base,

1414 inches.

Height,

4 ft., 3 in. and 4 ft., 5 in.

16¼ and 16¾ inches. 4 ft., 6 in.

We have all the different style Urns for these Pests, also Fluted Slabs.



Base, 15 and 16 inches.

Height, No. 46.—4 feet, 6 inches.

No. 46½.—4 feet, 8 inches.

0000 2 feet, 111/2 inches (4) السطا 86


15 and 16 inches. 4 feet, 8 inches.

No. 46 Post is only used where the newel block sets level with the second step on account of being a low post. No. 46½, post being the same design as the above, but the slab being 2 inches longer is used where the newel block sets level with the bottom step

No. 86 can be used on any stoop.

F. SIMPSON J. S. &

NEWEL POSTS.




Base,

18 inches.

Height,

5 feet, 71/2 inches.




18 inches.

5 feet, 71/2 inches.

"PATENTED"

NEWEL POSTS




Base,

14. 15 and 16 inches.

Height,


4 feet, 7 inches.



14, 15 and 16 inches.

4 feet, 9 inches.

NEWEL POSTS.



Base,

16 and 18 inches.

Height,

4 feet, 11 inches.



12 and 14 inches.

4 feet, 41/4 inches.

FENCE OR GATE POSTS.



Base,

10½ inches.

II inches,

10 inches.

Height, 3 ft., 8 in. 3 ft., 8½ in.

3 ft., S in.

NEWEL POSTS.



(PATENT APPLIED FOR.)

Base,

16 inches.

Height,

4 feet, 11 inches.



16 inches.

No. 19.—4 feet, 4½ inches.

No. 19½.—4 feet, 8 inches.

No. 19 to be used when the newel block sets level with the second step, and No. 191/2 (which is the same design, only 31/2 inches longer in the shaft.) when the newel block sets level with the bottom step.

NEWEL POSTS.



Base,

14 inches.

Height, 4 feet, 6 inches.

2 feet, 834 inches


16 inches.

4 feet, 7 inches.

(PATENTED.)



Base, Height, 14 inches. 3 feet, 10 inches.



3 feet, 1/2 inch.

No. 491/2.-14 inches. No. 51.-16 inches.


No. 49 to be used when the newel blocks sets level with the second step, and No. 491/2 when the newel block sets level with the bottom step.

3 feet, 41/2 inches.

NEWEL POSTS.

GATE POSTS.

For post of this design with 10 in. base, see cut No. 28.



12 in.

No. 48 -Base 10% inches. No. 34.-Base 12 inches.

Height, 3 ft., 2 in.

4 feet, 71/2 inches. 20 inches. Height, Base,

20 inches. 5 feet.

2 feet, 1 inch

2 feet, 71/2 inches.



(PATENTED.)



Base,

16 inches

Height,

4 feet, 51/2 inches.



14 inches.

4 feet, 434 inches.

NEWEL POSTS.



2 feet, 3½ inches.

Base,

16 inches.


Height,

4 feet 31/4 inches.

18 inches.

3 feet, 9 inches.

NEWEL POSTS.




Base,

18 inches

Height,

4 feet, 5 inches.





14 inches.

4 feet, 61/2 inches.



Base,

13 and 15 inches.

Height,


4 feet, 9 inches.



2 feet, 6% inches.

14 inches.


4 feet, 61/2 inches.



Base,

20 inches,

Height, 4 feet 6 inches.



16 inches.

3 feet, 101/2 inches.



Base,

141/4 inches.

Height,


4 feet 3 inches.



14 inches.

3 feet, 10 inches.

NEWEL POSTS.



Base,

14. 16 and 20 inches.

Height,

4 feet. 4 inches.

2 feet, 11 inches.

16 inches.

3 feet, 91/2 inches.



2 feet, 512 inches

3 feet, II inches.

3 feet, 11 inches. II inches.


3 feet, 101/2 inches.

3 feet, II inches.


Height,




2 feet, 914 inches



2 feet 5 inches



2 feet, 51/2 inches.



Base,

11 inches.

Height,

4 feet.



15½ inches
4 fcet, 7 inches.

"PATENTED"

NEWEL POST.




No. 91. (Base, 1614 in. and 1734 in. Height, 5 ft., 21/2 in.

No. 92 same style as the above, with a base 14 in.

"PATENTED"

NEWEL POST.



No. 91a. | Base, 1614 in. and 1734 in. No. 92a same style as above, | Height, 5 st., 21/2 in. Base, 14 in. Height, 5 st., 21/2 in.

No. 93 to be used when the newel block sets level with the second step and No, 931/2 (which is the same design only 3 inches longer in the shaft) when the newel block sets level with the bottom step.

No. 93. 2 feet, 81/2 inches.

3 feet, 8 inches. No. 93.




Base, 16 inches. Height, 5 feet.


Nos 93 and 931/2. No. 93 .- Base, 16, 18, 20 and 21 inches. Height, 5 fect, 1 inch. No. 931/2. - Base, 16, 18, 20 and 21 inches. Height, 5 feet, 4 inches.

S. & G. F. SIMPSON.

FENCE OR GATE POSTS.




10 inches.
3 feet, 4 inches.



II inches.
3 feet, 4% inches.

2 feet 834 inches.




2 feet 6 inches,

To inches.
3 feet, 5 inchest


Base, Height,

F. SIMPSON Ġ 8 တ် -


FENCE OR GATE POSTS.








2314 inches.



2314 inches.



2 feet, 3 inches.

3 feet, 4 inches. to inches.

3 feet, 6 inches to inches.

to and 11 inches. 3 feet, 34 inch.

Height, Base,



Base, 10 inches.
Height, 3 feet, 8½ inches.




10 inches.
3 feet, 8¼ inches.



2 feet, 6 inches

7½ inches.
3 feet, 3 inches.




Base, 9, 10, 11 and 12 inches.

Height, 4 feet, 2 inches.

834 inches.

8½ inches.
3 feet, 5 inches.



Base 8 in with moulding.

Height,4 ft,3 in.with "

7 in. with moulding. 6 " without "


4 ft. 6 in. with "

61/2 in, without moulding.

4 ft. 21/2 in. with

6 in. with moulding, 5 " without "

3 ft. 81/2 in. with "



Height, 4 ft. 1/2 inch. 3 ft. 61/2 in.


6 in. 4 ft. 5 in.

534 in. 3 ft. 7½ in.

SIMPSON

S. & G.

FENCE OR GATE POSTS.



Base Without moulding, 6 in.

5½ in. sq. with moulding.
4 "without "
3½ octagon " "


7 in. without moulding.

5½ in. without moulding.

Height, 3 feet, 10 in.

3 ft. 4 in. with square base. 4 feet.,

3 feet, 5½ in.




Height, 3 ft., 2 in.

3 ft., 3 in.

3 ft., 4 in.

3 ft., 7 in.



Base, 21/4 in.

6 in.

7 in. with moulding. 6 in. without moulding.


41/4 in.


51/4 in.

Height, 3 ft. 3 ft. 3 in. 3 ft. 10 in.


3 ft.

3 ft. 3 in.













Can be made to fit the top of any newel.

Battle-Ax Post. Can be made any height.

BALLUSTERS.



Base, 6 in.
Platform, 23½ in. high.
Fence, 25¼ in.



5 in. 22½ in. high. 24¼ in.



6 in. 22½ in. high. 24¼ in.



6½ and 7 in. 23½ in. high. 25½ in.



Base, 6 in.
Platform, 22½ in. high.
Fence, 25¼ in. "



6 in
2434 in. high.
26 in. "




4 in.
25³4 in. high.
27½ in.



5½ in. 22 in. high. 24¼ in.

F. SIMPSON. 8 ഗ

BALLUSTERS.




Base, 6 in 5½ and 6 in. 6 in. 4x6 in. 5 in.

Platform, 22½ in. high. 22½ in. high. 22½ in. high. 21 in high. 24 in. high.

Fence, 24¼ in. 25½ in. 25½ in. 25½ in. high.

Half Balluster.



Base, 5 in, 4 in. 7 in. 7 in. 4x7 in. Platform, 22½ in. high, 2ft, 6¾ in. high. 23¾ in. high. 22½ in. high, 2½½ in. high. Fence, 24¼ in. 4x7 in. 25¾ in. high. 22½ in. high. 22½ in. high. 26¼ in. 4x7 in.

Base,

Fence,

BALLUSTERS.

Half Balluster.



4 in.

Platform, 2414 high.



6 in. 241/2 high.



6 in square. 6 in. square. 21 in. high. 23 in. high. 2414 in. high. 24 in. high.



7 in. square. 2134 in. high. 2414 in.



6 in. square. Platform, 22½ in. high. 22½ in. high. 22½ in. high. 22½ in. high. 23½ in. high. Fence, 24¼ in. 24¼ in.



5 in.





26 to 36 Rodney Street, Brooklyn, E. D., N. Y.

6 in.

BALLUSTERS.



Base, Platform, 22½ in. high. Fence, 24¼ in.



5 in.
22½ in. high.
24¼ in.



6 in. 22½ in high. 24¼ in.




5 in. 22½ in. high. 24¼ in. "



Base, 6 in. 6 in. 5 in. 6 in. Platform, 22½ in. high. 24¼ in. 24¼ in. 24¼ in. 24¼ in. 324¼ 6 in.









4 in.

TOP RAILS.



11 in. wide. 7½ in. high.



9 in. wide. 7⅓ in high.





5 in. wide, 2¾ in, high, 6 '' 3½ ''
7¼ '' 3¾ ''

TOP RAILS.

Diamond Box Rail, plain or spiked.



3 in. wide, 2 in. high. $3\frac{7}{8}$ " $2\frac{1}{2}$ " $5\frac{3}{4}$ " $2\frac{1}{2}$ "

Box Rail, for No. 223
Casting,
plain or spiked.



234 in. wide. 2 in. high,

Box Rail, for Window Panel No. 81, plain or spiked.



3 in. wide.
2 in. high.
For 3/4 square top rail.

2 in. Rail, plain or spiked.



 $2\frac{3}{4}$ in. wide. $1\frac{1}{4}$ in. high. For 2 in. top rail.

1½ in. Rail, plain or spiked.



2½ in. wide 1½ in. high. For 1½ in. top rail.

1¼ in. Rail, plain or spiked.



2 in. wide. ½ in. high. For 1¼ in. top rail.

Cope Rail.



25g and 214 in. wide.
1 in high.

11/2 in. Rail, with rope top.



2½ in. wide. 1½ in. high. For 1½ in. top rail.

WINDOW GUARD AND FENCE HEADS.



. 107 4 in. wide. 7½ in. long.



3½ in. wide. 7 in. long.



6 in. wide. 12 in. long.



110 4³4 in. wide. 9¹⁄₂ in. long. 4¹⁄₂ in wide. 8¹⁄₂ in. long.



111 3¾ in. wide. 7½ in. long.



112 2½ in. wide. 8 in long.



116
214 in. wide.
9 in. long.



3½ in wide. 6½ in. long.



4 in. wide. 10½ in. long.



129 3¾ in. wide. 9 in. long.



130 2¾ in. wide. 6 in. long.



3 in. wide. 5½ in long.

S. & G. F. SIMPSON

WINDOW GUARD AND FENCE HEADS.



137 3½ in. wide. 7 in. long.



5 in. wide. 9½ in. long.



3 in, wide. 6 in, long.



7 in. wide.



144
5 in, wide,
10 in, long,
4 in, wide,
7½ in, long.



2¹/₄ in. wide. 4¹/₂ in. long.



246 4 in wide. 6 in. long.



6¼ in. wide. 7¼ in. long.



3¾ in. wide. 7½ in long.



4³4 in. wide. 3 in. long.



2½ in. wide. 6 in. long.



231 2½ in. wide. 4½ in. long. 2 in wide. 3½ in. long.



254. 3 in. wide. 6 in. long.



7½ in. wide. 5½ in. long.



8 in. wide. 12 in. long. 5 in. wide. 8 in. long.

WINDOW GUARD AND FENCE HEADS.



5½ in. wide. 9½ in. long.



299 2¾ in. wide. 6 in. long.



4 in. wide.



302 4 in. wide. 7 in. long. 3½ in. long. 6 in. wide.



303 3½ in. wide. 5 in. long.



304
3 in. wide.
5½ in. long.
3½ in. wide.
6½ in. long.



305
5½ in. wide.
6½ in. long.
4¾ in wide.
6 in. long.
3¾ in. wide.
5 in. long.



4½ in wide. 8 in long. 3½ in wide. 7 in. long. 3 in. wide. 5½ in. long.



4½ in. wide.



4½ in. wide. 8 in. long. 4 in. wide. 6½ in. long.



2½ in. wide. 4½ in. long.



3 in. wide.



7½ in. wide. 7 in. long.



2½ in. wide. 5 in. long. 2 in. wide. 3½ in. long.



4 in. wide. 7 in. long.

G. F. SIMPSON. υi

WINDOW GUARD AND FENCE HEADS.











3½ in. wide. 2½ in. wide. 3 in. wide. 4½ in wide. 5 in wide. 7 in. long. 5 in. long. 8 in. long. 11 in long. 51/2 in. long

51/2 in. wide. 71% in. long.



366









21/2 in. wide. 51/2 in. long

4 m. wide. 51/2 m. wide 3 m. wice 3 in. wide. 8 in. long. 916 in, long. 616 in, long. 6 in, long. 11 in, long.

5 in. wide

GATE POINTS.



234 in wide. 31/2 in long. 234 in. wide. 21/2 in. long.



3 in. wide. 3½ in. long.



253 11/2 in. wide. 51/2 in. long.



21/4 in. wide. $3\frac{3}{4}$ in, long.



301 31/2 in. wide. S1/2 in. long. 3 in. wide. 51/s in long.











414 in. wide. 3 in. high.

5 in. high.

23/2 in. wide. 4 in wide. 2 in wide. 11/3 in wide. 13/4 in high. 4 in. long. 31/2 in high. 31/4 in. high. 13/4 in high.

5 in wide.

CENTRE ORNAMENTS.



114 214 in. wide.

1516 in. long.



3 in. wide.



4 in. wide. 6 in. long.



2¼ in. wide. 5½ in. long.



234 in. wide. 5½ in. long.



1½ in. wide, 3¼ long. 3 in. wide, 2¾ long.



4 in. wide. 7 in. long.



7 in. long.



332 44 in. wide. 4 in. long.

ROSETTES.



106 6 in. x7½ in. 5½ in. x7 in.



113 4½ in.



115 6 & 7³4 in. spread.



117 3¼ in.



II in. spread.



121 3x4 in.



 $3^{3}4$ in.



14½ in. spread.

ROSETTES.







4 in.

31/4 in. square.

31/2 x 41/2 in.

41/2x51/4 in. and 21/8 in. square. 3 in. square.







31/2 in.

260 31/4 in.

































23/4 in., 3 in. and 5 in.



21/2 in.







ROSETTES.











414 in. 134 in. Rosette for Gates and Window Guards.



319 734 in.











1234 in. spread.



6 in diam.



4 in. diam.



316 in. drim



434 in. diam.



5 in. ciam.



6 in. diam.



2 in. diam.





4 in. diam. 21/2 in. diam. 5 in. diam.



434 in. diam.

S. & G. F. SIMPSON.

PIPE POSTS AND SCROLLS.



Base, 6 in. Height, 3 ft. 3¾ in.



Large Ring.










85

Base, 6 in. Height, 3 ft, 3¾ in.

3 feet, 31/2 inches. Base 6 in. 112 inch Pipe Top Rail.


2 feet 10 inches.



Base 512 in.

3 ft. 5 in to top of 10.t.


Base 51/2 in.




2 ft. 4 in, height of casting. 1714 in, width of each casting.


WROUGHT IRON FENCE.

ROUND OR SQUARE BARS.



Can be made any height and with any style head.






Width of casting, 1616 in.




Base 516 in.




Width of casting, 161/2 in.




26 to 36 Rodney Street, Brooklyn, E. D., N. Y.




Height of each casting, 2 ft 6 in. Width of each casting, 1 ft. 6 in.



Height of each casting, 2 ft, 6 in. or 2 ft, 8 in, Width of each casting, 1 ft 6 in.




Height, 2 ft 2 in. Can be made any length to suit.




Height, 2 ft. 10½ in. Length, 3 ft. 10½ in.

S. & G. F. SIMPSON.

FENCE CASTINGS.




Fence Gate 2 ft. 5 in. square.




Height, 2 ft. 10 in. Width, 16½ in.



Height, 2 ft. 6 in. Width, 17½ in.




Height, 2 ft. Width, 16½ in.






Height, 2 ft. 3 in. Width, 211/4 in.



Height, 2 ft. 7½ in Width, 18 in.



Height, 2 ft. 6 in. Width, 15 in.

FENCE CASTINGS.




Height, 2 ft. 4 in. Width, 16 in.



Height, 2 ft. 6 in. Width, 12½ in.




Height, 2 ft. 51/4 in. Width, 143/4 in.




3 ft. 6 in. and 4 ft. long. 2 ft. 2 1/4 in. wide.


FENCE CASTINGS.



Height, 2 ft. 43/4 in. Width, 151/2 in.



Height, 2 ft. 61/2 in. Width, 20 in.



Height, 2 ft. 7¼ in. Width, 19¼ in.



Height, 2 ft. 4 in. Width, 11½ in.



Height, 2 ft. 3½ in. Height, 2 ft. 4 in. Width, 9½ in. Width, 6½ in.





Height, 2 ft. 4½ in. Width, 8½ in.

S. & G. F. SIMPSON.

STOOP AND FENCE CASTINGS.



Height, 2 ft. 8 in. Width, 93/4 in.



Height, 2 ft. 4½ in. Width, 8 in.



Height, 2 ft 5 in. and 2 ft. 9 in Width, 7½ in.



Height, 2 ft. 5½ in. Width, 9½ in.




Height, 2 ft. 7 in. Width, $9\frac{1}{2}$ in.



Height, 2 ft. 5½ in. Width, 8 in.



Height, 2 ft. 23/4 in. Width, 81/4 in.



Height, 2 ft. 6½ in. Width, 18½ in.



Height, 2 ft, 4½ in. Width, 12 in.




Height, 2 ft. 51/4 in. Width, 161/2 in.



Height, 2 ft. 4 in. Width, 113/4 in. Also made with bar on side.



Height, 2 ft. 5 in. Width, 9 in.



Height, 2 ft. 5½ in. Width, 9 in.



Height, 2 ft, 5½ in. Width, 10½ in.




Height, 2 st. 5½ in. Width, 7 in. Width, 9 in.









Height, 2 ft 3 in. Width, 13½ in.



Height, 2 ft. 51/4 in. Width, 141/2 in.




Height. 2 ft. 3½ in. Width, 15½ in.



Height, 2 ft. 6 in. Width, 14 in.



Height, 2 ft. 6 in. Width, $9\frac{1}{2}$ in.



Height, 2 ft. 61/4 in. Width, 91/2 in.


G.F. SIMPSON.

S. Se


STOOP AND FENCE CASTINGS.



Height, 2 ft. 6 in. Width, 10 in.



Height, 2 ft. 5½ in. Width, 10 in



Height, 2 ft. 4 in. Width, 9 in.



Height, 2 ft 5¼ in. Width, 9½ in. Solid Double Face.



Height, 2 ft. 5 1/4 in. Width, 9 1/2 in. Made in 2 Halves.



Height, 2 ft. 4½ in. Width, 11 in.









Height, 2 ft. 5½ in. Height, 2 ft. 5½ in. Height, 2 ft. 4½ in. Height 2 ft 6 in. Width, 13% in. Width, 11½ in. Width 9 in. Width, 14½ in.



Height, 2 ft. 51/2 in. Width, 14 in.






Height, 2 ft. 5 in. Height, 2 ft. 5 in. Width, 11½ in. Width, 7¾ in.



Height, 2 ft. 4 in. Width, 12 in.

STOOP CASTINGS.



Cast and wrought iron.
Any height desired.

& G.F. SIMPSON.

ശ



3 in. square base.
2 ft. 2 in. high in centre of post.



2 ft. 6 in. high.




3 in. square base. 2 ft. 2 in. high.




Height, 2 ft. 4½ in. in centre

STOOP CASTINGS.




Stoop Panel.




Width, 1134 in.

Can be made any length to suit. $1\frac{1}{6}$ inches deep.



Stoop Panel.



Length, 3 ft. 5 in. Width, 81/4 in.

STOOP CASTINGS.

Scroll Pipe End



For 2 in. Pipe.

Pipe Butt End.



For

2 in. Pipe.









Regular Standard

For Pipe.

Height, 2 in.

For I in. Pipe. I in. Pipe. I in. Pipe.

Base For

For

For 1 in. Pipe.

Extra High Standard Pipe Butt End. Pipe Butt End. For Pipe.







Height, 31/4 in. For 11/2 or 2 in. pipe. For 11/2 or 2 in. pipe



Base, 4 inches.




Base, 7 inches.



Base, 4 inches.

BALCONY CASTINGS.



Height, 2 ft. 4¾ in. and 2 ft. 9 in.
Width, 11½ in.



Height, 2 ft. 4 in. Width, 834 in.



Height, 2 ft. 5¼ in. and 2 ft. 9 in.
Width, 11¾ in.



Height, 1 ft. 6 in, Width, 2 ft. 4 in.



Height, 21 in. Width, 21 in.

Ś

BALCONY CASTINGS,





Diameter, I ft. 3½ in.

FIRE ESCAPE NOTICE.

ANY FERSON PLACING ANY ENCUMPRANTE ON THIS BALCONY IS SUBJECT TO APPARTY OF TEN OCURAS LIND IMPRISORMENT FOR TEN DAYS.

380

Can be made with any name.



164


16 in. square.




398

16 in. square.

WINDOW GUARDS.



Height, 161/2 in. Width, 2 ft. 3 in.



Height, 131/2 in. Width, 2 ft. 4 in.



Height, 151/2 in. Width, 161/2 in.

WINDOW GUARDS.



Height, 16 in. Length, 12 in. each



Height, 16 in. Length, 12 in



Height, 15 in. Length, 2 ft. 6 in.






Height, 151/2 in. Length, 7/8 in. Height, 2 ft. 3 in. Length, 121/2 in.

FENCE POSTS.



Height, 2 ft. 51/2 in. Height, 2 ft. 6 in.




26 to 36 Rodney Street, Brooklyn, E. D., N. Y.

FENCE POSTS,




Height, 2 ft. 21/2 in. Height, 3 ft. 11/2 in.





Height, 2 ft. 214 in. Height, 2 ft. 9 in. Height, 2 ft. 111/2 in. Height, 2 ft. 81/2 in.

BRACKETS.




Length, 2 ft. 3 in. Depth, 1 ft. 1 in. Length, 2 ft. 2 in. Depth, 1 ft. 134 in.





Length, 2 ft. Depth, 11 in.


Length, 2 ft. 11/2 in. Depth, 1 ft. 51/2 in.



Length, 2 ft 3 in. Depth, 1 ft. 1 in.





Length, 2 ft, 1 in. Depth, 1 ft 2 in



26 to 36 Rodney Street, Brooklyn, E. D., N. Y.

BRACKETS.





Length, 2 ft. 4 in. Depth, 1 ft. 6 in.



26 to 36 Rodney Street, Brooklyn, E. D., N. Y.

GATE FRETS.



27/8, 3 in wide. 201/2 in, long.



214, 25% in. wide. 2 ft. 7½ in. long. 2 ft. 6 in. long.








178, 214, 21/2, 238 in wide. 241/2 in. long.



2½ in. wide. 16½ in. long.



63% in. wide. 24 in. long.



7½ in. wide. 3 ft. 1½ in. long. 4 in. wide. 2 ft. 6 in. long.



3 1/2 in. long


GATE FRETS.



2³4 in. wide 2 ft. 2¹/₂ in long.

F. SIMPSON

ഗ



2 % in. wide. 2 ft. 2 in. long.



3. 3¹8. 3¹4 in. wide.
2 ft. 7 in. long.



27/8 in. wide. 2 ft. 3 in. long.

DROP MOULDINGS.










VAULT COVERS.



21½ in. diameter.



267
1734 in. diameter.
With and without glass to fit
No. 263 ring.



23¾ in. diameter. This vault cover sets in the flag.



183
17¾ in. diameter.
Regular vault cover, to set on top of flags.



148 Ventilator, old in square.



Ventilator, 7x915 in.



Awning post cap, for 2 in. pipe.



71/2 in. square. 21/8 in. face. Light and Heavy Patterns.



Butt end for 7, 8, 9, and 10 in. rail.



Buttt end for 7. 8, 9, and 10 in, rail.



405 For 21/2 in. box rail.



378 Leaf for 11/2 in. rail.



and 2 in. pipe.



Pipe Butt Ends for 11/2,







Cope Scroll, 7. 8. 9 and 10 in. Butt Ends.



280 Strainer. 6 in. square.





Butt End, for I in. pipe.

Regular size. Sash, 26 in. square. Frame, 2 ft. 61/2 in. square.



Gate Knob.



Hand Rail Bracket.



6¹2 in. wie e. 5 in. high.



8 in. wide. 8½ in high.



23/4 in. wide 51/2 in. high.



2³/₄ in. wide. 5¹/₂ in. high.



35g in. wide. 5½ in high



382 6½ in. wide. 4¾ in. high,





For 11/2 in. pipe.



2 ft. I in long.




8 in. diameter.




17 in. long.




Heigh , 24 in. I ength, 2 ft. 114 in.



Height, 2012 in. Length, 141/2 in.



l'e'ght, 2 ft. 10 in. Length, 111/2 in.




Height, 2 ft. 3 in. I ength, 111/4 in.




Height, 111/2 in. Length, 16 in




Height, 24 in. Length. 18 in.




Height, 201/2 in. Length, 2 ft. 11 in.




Height, 12 in. Length, 201/2 in.



Height, 1 ft 64 in. Length, 1 ft. 8 in



Height, 2 ft. 4 in. Length, 2 ft. 5 ir.



Height, 24 in. Length, 24 in.


Finial for 291 Cresting.



Height, 12 in.




Height, 22½ in. Length, 11 in.




Height, 2 ft. $8\frac{1}{2}$ in. Length, $14\frac{3}{4}$ in. each piece.



Height, 2 ft. 8 in. Length, 15 in.



Height, 15½ in. Length, 2 ft. 4 in



Height, 101/2 in. Length, 22 in.



Height, 15½ in. Length, 14¾ in. Base of post, 2 in. square




Height, 7 in, Length, 1 ft. 3½ in.




Height, 8 in. Length, 2 ft. 5 in.



Height, 2 ft. 7 in. Length, 12 in.



II ight. 2 ft. 2 in. Length, 23 in.



Height, 24 in. Length 18 in.



Height, 2 ft 3 in Length, 14 in.



Heigth, 1 ft, 4 in. Length, 11 in.




Height, 15 in. Length, 2 ft. 9 in.







Height, 21 in. Length, 12 in. Height, 12 in. Length, 151/2 in



Height, 161/2 in. Length, 2 ft. 21/4 in.



Height, 18 in. Length, 151/2 in.




Height, 2 ft, 10 in Length, 24 in.



Height, 2012 in. Length, 1512 in.



Height, 20 in. Length, 2 ft, 41/4 in




Height, 19 in. Length, 15 in.



Height, 15 in Width, 2 ft. 3 in.



Height, 14 in. Length, 18 in.




Height, 2 ft. 3 in. Length, 1 ft. 1112 in.




Height, 2 ft. 1 in. Width, 15½ in.

S. & C. F. SIMPSON.


CRESTING.




Height, 2 ft. 3 in. Length, 24 in.




Height, 12 in. Length, 2 ft. 3 in.




Height, 21 in. Length, 2 ft. 412 in.



Height, 2 ft. 11 in Length, 2 ft. 11 in




Height, 2 ft 2 in. Length, 22 in.




Height, 5 ft. 8 in. Length, 2 ft. 9 in.

FINIALS.

















Can be made any height to suit cresting.

FINIALS.















Can be made any height to suit cresting.


FINIALS.



Can be made any height to suit cresting.


STOOP OR AREA GATES.







The gates can be made any size to suit the openings.

STOOP OR AREA GATES.






These gates can be made any size to suit the openings,




Can be made any height and to fit any tree.


& G. F. SIMPSON. Ś

FENCE GATES.






Can be made any size.



No. 3 Drill.

Swing, 21 inches; back geared; quick return motion; large steel spindle, 47 inches long; balanced by weight in post; revolving arm and table; the base is also a drilling table; from base to end of spindle, 43 inches; from table to spindle, 20½ inches, pulleys, 10x2½ inches; taper hole for Morse socket.


A strong brace extends from base to column, stiffening it at point of greatest strain. Weight, 1,100 pounds. Height, 6 feet. Floor space, 20x48 inches. Price, \$270,00.



No. 2 Drill.

Swing, 21 inches, quick return motion; large steel spindle, 47 inches long; balance weight in post revolving arm and table; the base is also a drilling table; from base to end of spindle, 43 inches; from table to end of spindle, 28 inches; pulley, $10x2\frac{1}{2}$ inches. A strong brace extends from base to column, stiffening it at point of greatest strain.


Taper hole for Morse socket. Weight, 900 pounds. Floor space, 20x48 inches. Height, 6 feet. *Price*, \$210 00.



No. 1 Drill.

Drill holes up to 1 inch diameter; swing, 15 inches; face plate, 12 inches in diameter, can be raised or lowered; four speeds; tight and loose pulleys, $7x1\frac{3}{4}$ inches; worm or wheel feed, cut gears, steel rack and pinion, balance spindle with taper hole for Morse sockets.

Weight, 300 pounds. Height. 6 feet. Price, \$85.00.



Bench Drill.

Distance from centre of drill to face of column, $6\frac{1}{2}$ inches. Height from plate to spindle when up, $9\frac{1}{2}$ inches. Floor space, 7x14 inches. Weight, 50 pounds.

Price, \$35,00




No. 1 Power Press.

Weight, 200 pounds; balance wheel, 16 inches, weight 60 pounds; distance back from centre of slide, 1½ inches; distance from bed to bottom of slide, when up, 4 inches; opening in bed, 6x4 inches, or can be made any size to suit. The slide has extra wide bearings.

Will punch 3-16 hole in 3-16 iron. Floor space, 24x26 inches.

Price, \$105.00




No. 2 Power Press.

Weight, 550 pounds; balance wheel, 20x3½ inches weighing 140 pounds; distance back from centre of slide, 5 inches; distance from bed to bottom of slide, when up, 53% inches; opening in bed, 8x5 inches, or can be made any size to suit. The slide has extra wide bearings.

Will punch ¼ hole in ¼ iron. Floor space, 27x32 inches.

Price, \$125.00.



No. 1 .- Pendulum Toggle Joint Foot Press.

Weight, 300 pounds; distance back from centre of slide, 41/2 inches; distance from bed to bottom of slide, when up, 41/4 inches; opening in bed, 33/4x53/4 inches, or can be made any size to suit.


Will punch 5-16 hole in 3-16 iron. Floor space, 22x28 inches.

Price, \$80.00.

No. 2.-Pendulum Toggle Joint Foot Press.

Weight 500 pounds; distance back from centre of slide, 5 inches; distance from bed to bottom of slide, when up, 6 inches; opening in bed, 5x8 inches, or can be made any size to suit.

Will punch 1/2 hole in 1/2 iron. Floor space, 25x31 inches. Price, \$110.00.



No. 1 Pendulum Press.

Weight,175 pounds; distance back from centre of slide, 2½ inches; distance from bed to bottom of slide, when up, 3½ inches; opening in bed 2½x4 inches; floor space, 22x24 inches.

Will punch 1/8 hole in 1/8 iron.

Price, \$30.00, with table.

" \$25.00, without table.


No. 2 Pendulum Press.

Weight, 265 pounds; distance back from centre of slide, $3\frac{1}{4}$ inches; distance from bed to bottom of slide, when up, $4\frac{1}{4}$ inches; opening in bed, $2\frac{1}{2}$ x6 inches; floor space, 24x27 inches.

Will punch 3-16 hole in 1/8 iron.

Price, \$38.00, with table.

\$32.00, without table.



Nos. 3 and 4 Pendulum Presses.

Distance from bed to bottom of slide, when up, 5 inches; long bearings for slides; floor space, 28x32 inches.

No. 3 weighs 350 pounds; opening in bed, 21/2x71/2 inches.

Will punch 5-16 hole in 3-16 iron.

Distance back from centre of slide, 4 inches.


Price, \$60.00, with table, \$52.00, without table.

No. 4 weighs 375 pounds; opening in bed, 41/2x71/2 inches,

Will punch 5-16 hole in 3-16 iron.

Distance back from centre of slide, 41/2 inches.

Price, \$65.00 with table, \$57.00 without table.



No. 1 Gate Shear.

Weight,275 pounds; distance back from centre of slide, 5 inches; distance from bed to bottom of slide, when up, 5¼ inches; opening in bed, 4x7 inches; floor space, 21x32 inches.

Will cut 5% brass.


Price, \$60.00.

No. 2 Gate Shear.

Weight,275 pounds; distance back from centre of slide, 6¾ inches; distance from plate to bottom of slide, when up, 5¾ inches; opening in bed, 5x8½ inches; floor space, 25x40 inches; wrought-iron lever.

Will cut 1/8 brass.

Price, \$75.00




Bar Iron Shears.

Weight, 250 pounds; length of main lever, 4 feet, 4 inches; extension lever, 3 feet, 8 inches; floor space, 14x30 inches.

Will cut 21/2x1/2 inches and 1 inch round.

These shears will cut flat or round iron without changing the knives.

Price, \$60.00.



Hand Punch.

Weight, 150 pounds; floor space, 7x15 inches; lever works both to the front and back.

Will punch 1/4 hole in 1/4 iron, 6 inches from edge.

Price, \$30.00.



| | Κ. | |
|---|----|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| , | | |
| | | |
| | | |



| | * | | |
|--|---|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



